

Republic of the Philippines Department of Environment and Natural Resources Visayas Avenue, Diliman Quezon City, 1100 Tel. Nos. (632) 929-66-26 (632) 929-62-52 929-66-20 929-66-33 to 35 929-70-41 to 43

## **BIDS AND AWARDS COMMITTEE**

## Supplemental/Bid Bulletin No. 1

### SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES FOR THE DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES-CENTRAL OFFICE (DENR-CO)

### Bid Ref. No. DENR-CO-2020-019 ABC P 7,892,400.00

This **Supplemental/Bid Bulletin No.1** is being issued to revise provisions/specifications in the Bidding Documents for the aforecited project:

A. Revision to provisions/specifications in the Bidding Documents:						
FROM	то					
SECTION III. E	ID DATA SHEET					
<ul> <li>20.2 Post-Qualification</li> <li>2 (c) <ul> <li>Certification issued by the manufacturer that the brand being offered for the Circuit Breaker 500AT/400AT/250AT/200AT:</li> <li>are available for a minimum of thirty (30) years after end of production of the issued by the manufacturer; and the issued by the manufacturer; and ii. has been in the Philippine Market for at least thirty (30) years</li> </ul> </li> </ul>	the brand being offered for the Circuit Breaker 500AT/400AT/250AT/200AT has been in the Philippine Market for at least thirty (30) years attached with proof of documents such as literature or any equivalent document.					
	LE OF REQUIREMENTS					
Schedule of Requirements           Nos.         Description         Unit         Qty.	Revised Schedule of Requirements           Nos.         Description         Unit         Qty.					
I. Electrical Supplies         II. Electrical Wire any color except green         White color.         II. Electrical Wire preferred colors are in blue and red.         II. Electrical Wire Strander         THHN/THWN any color except green         White color.         II. Electrical Wire Solid         THHN/THWN any color except green         White color.						

Sched	ule of Requirements			Revise	ed Schedule of Requiremer	nts	
III. (	Carpentry Supplies			IV. C	Carpentry Supplies		
18	2" x 2" x ¼" x 20' Angular Bar	Pcs.	150	18	2" x 2" x ¼" x 20' Angular Bar <b>(50mm x 50mm x</b> 6mm x 6m)	Pcs.	150
19	1" x 1" x ¼ " x 20' Angular Bar	Pcs.	150	19	1" x 1" x ¼ " x 20' Angular Bar <b>(25mm x 25mm x</b> 6mm x 6m)	Pcs.	150
20	¼" x 3" x 3" x 20' Angular Bar	Pcs.	150	20	<sup>1</sup> / <sub>4</sub> " x 3" x 3" x 20' Angular Bar (75mm x 75mm x6mm x6m)	Pcs.	150
					For items 23, 24 and 25, mate be locally made.	erials sł	nould
SECTION VII. TECHNICAL SPECIFICATIONS							
Technical Specifications <b>Revised Technical Specifications</b>							

## SECTION IX. PRESCRIBED/SAMPLE FORMS

Annex VI - Bid Form	Revised Annex VI - Bid Form
<b>XXX</b>	<b>XXX</b>

Bidders are advised to use the following attached forms and submit together with all the other required documents for the submission of bids on **24 November 2020**, **9:30 AM**:

- 1) Section VI. Revised Schedule of Requirements
- 2) Section VII. Revised Technical Specifications
- 3) Revised Annex VI Bid Form

Also please use the **Revised Checklist of Technical and Financial Documents** as a guide/reference.

This Supplemental/Bid Bulletin No. 1 shall form part of the Bidding Documents. Any provisions in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For guidance and information of all concerned.

Issued this 17<sup>th</sup> day of November 2020 in Quezon City.

Approved by:

*(sgd.)*MARCIAL C. AMARO, JR., CESO III Assistant Secretary for Policy, Planning and Foreign Assisted and Special Projects & Chairperson, Bids & Awards Committee

Received by:

(SIGNATURE OVER PRINTED NAME & DATE)

NAME OF COMPANY

(PLEASE RETURN OR FAX THIS PAGE ONLY TO THE DENR BAC OFFICE @ 8926-2675)

(page 1 of 5)

## Section VI.

# **Revised Schedule of Requirements**

Instruction to Bidders:

<u>Please fill up the form accordingly and sign the Bidder's</u> <u>Undertaking. Failure to conform will result in a rating of</u> <u>"FAILED".</u>



Republic of the Philippines DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES Visayas Avenue, Diliman, Quezon City, 1100 Trunkline (632) 929-6626; 929-6628; 929-4028; 929-3618 Voice-Over-Internet-Protocol (VOIP) Trunkline (632) 988-3367 Website: http://www.denr.gov.ph / E-mail: Web@denrgov.ph

#### Supply and Delivery of Various Construction Materials for the Department of Environment and Natural Resources

#### A. Approved Budget for the Contract

The total ABC for this project is **PhP7,892,400.00** inclusive of all applicable government taxes and service charges.

#### **B.** Project Deliverables

Nos.	Description	Unit	Quantity
I. Ele	ctrical Supplies		4
1.	375 mm/750mcm THHN/THWN Electrical Wire	m	200
2.	150mm/300mcm THHN/THWN Electrical Wire	m	3000
3.	Electrical Circuit Breaker including Panel Branches with Ground 3 pole 600 volts 500AT/400 AT and three (3) units 250AT with Busbar	Set	1
4.	200AT with Enclosure indoor	set	1
5.	Solderless Copper Spit Bolt Connector 500mcm	pcs	50
6.	75mmØ x 3.5mm x 3000mm PVC Pipe	pcs	350
7.	Full Box 8" x 16" x 16" Gauge 22	pcs	30
8.	Electrical Rubber Tape (0.8mm x 19mm x 8m)	pcs	50
9.	Electrical Tape (0.8mm x 19mm x 8m)	pcs	100
10.	PVC Elbow 3" Ø	pcs	30
11.	PVC Elbow 4" Ø	pcs	30
12.	PVC Pipe 4" Ø = 100mm x 3.5mm x 3000mm	pcs	30
13.	Metal Clamp 3" 2 holes Galvanized Pipe Strap Clamp Gauge 20	pcs	100
14.	Long Expansion Shield with Screw 3/8"Ø x 3" x ¼"	pcs	200
15.	Electrical Wire Stranded #12 THHN/THWN	box	20
16.	Electrical Wire Solid #12 THHN/THWN	box	10
17.	Secondary three (3) Spool Insulator	pcs	30
* *	For Item 1: 375 mm/750mcm THHN/THWN Electrical Wire an white color For Item 2: 150mm/300mcm THHN/THWN Electrical Wire pre- and red For Item 15: Electrical Wire Stranded #12 THHN/THWN any c color For Item 16: Electrical Wire Solid #12 THHN/THWN any color	ferred colors	are black, blue reen and white

Page 1 of 4

### (page 2 of 5)

18.	18. 2" x 2" x ¼" x 20' Angular Bar ( 50mm x 50mm x 6mm x 6m)		150
19.	1" x 1" x ¼" x 20' Angular Bar ( 25mm x 25mm x 6mm x 6m)	Pcs	150
20.	1/4" x 3" x 3" x 20' Angular Bar ( 75mm x 75mm x 6mm x 6m)	Pcs	150
21.	%" x 4' x 8' Hardiflex Board ( 20mm x 1.2m x 2.4m)	Pcs	50
22.	1/4" x 4' x 8' Hardiflex Board ( 20mm x 1.2m x 2.4m)	Pcs	100
23.	1/4" x 4' x 8' Plywood Marine	Pcs	140
24.	3/4" x 4' x 8' Plywood Marine	Pcs	80
25.	1/2" x 4' x 8' Plywood Marine	Pcs	70
	For items 23, 24 and 25 materials should be locally made. nbing Supplies		
26.	1 Gal Capacity Sprayer	Pcs	28
27.	27. Direct Hardware Entrance Locket/direct hardware lever key lock		60
28.	28. Door Knob Lockset		100
29.	29. Rotating Deadbolt Lock		50
30.	2" Ø RSC Pipe	Pcs	50
31.	2° Ø GI Pipe schedule 40	Pcs	90
32.	1 ¼" Ø GI Pipe schedule 40	Pcs	70
33.	Bidet Heavy Duty	Pcs	180
34.	Cable Tie #8 (100pcs/pack)	Packs	90
35.	Cable Tie #4 (100pcs/pack)	Packs	90
36.	Cable Tie #6 (100pcs/pack)	Packs	90
37.	Cable Tie #10 (100pcs/pack)	Packs	90
38.	Drill Bit 1/8"Ø	Pcs	100
39.	Drill Bit ¼" Ø	Pcs	100
40.	Drill Bit 3/16"Ø	Pcs	100
41.	Drill Bit 3/8"Ø	Pcs	100
42.	Mason Bit ¼"Ø	Pcs	100
43. Mason Bit 3/8"Ø		Pcs	100

#### Specifications

a. Electrical Supplies

ITEMS	SPECIFICATION
ELECTRICAL WIRE	> 375 MM / 750 MCM THHN 90°C/ THWN 75°C-2 /
	600V 99.9% COPPER
	> 150 MM / 300 MCM THHN 90°C/ THWN 75°C-2 /
	600V 99.9% COPPER

Page 2 of 4

#### (page 3 of 5)

	<ul> <li>Conductor Diameter = 375 MM / 750 MCM THHN 90°C/ THWN 75°C-2 =25.0mm min. = 25.30 mm max *150 mm / 300 mcm THHN 90°C / THWN°C - 2 =15.7 mm min. = 16.10 mm max</li> <li>Cable Diameter = 375 MM / 750 MCM THHN 90°C/ THWN 75°C-2 =29.5 mm min. = 29.6 mm max *150 mm / 300 mcm THHN 90°C / THWN°C - 2 =19.3 mm min. = 19.7 mm max</li> </ul>
200AT INCLUDING ENCLOSURE	<ul> <li>Enclosure size gauge #16</li> <li>240 v / 230</li> <li>10KAIC</li> <li>3 POLE</li> <li>DOUBLE LUG TYPE 4/0 AND 3/0 (LINE AND LOAD)</li> <li>600V</li> </ul>
CIRCUIT BREAKER AND PANEL	<ul> <li>Panel Dimension: T = 300mm x W = 800 mm : H = 1300mm</li> <li>MAIN         <ul> <li>1 unit 500AT 3 POLE</li> <li>230-240V</li> <li>40 KAIC 600V</li> </ul> </li> <li>BUSBAR         <ul> <li>3 unit 250 AT 3 POLE</li> <li>230-240V</li> <li>230-240V</li> <li>230-240V</li> <li>230-240V</li> <li>230-240V</li> <li>230-240V</li> <li>25 KAIC 600V</li> <li>1 unit 400AT 3 POLE</li> <li>230-240V</li> <li>40 KAIC 600V</li> </ul> </li> <li>TERMINAL LUGS         <ul> <li>MAIN 2 x 500mcm / Phase L-TYPE</li> <li>BUSBAR 1 x 250MCM/PHASE</li> <li>BUSBAR SIZE</li> <li>MAIN ¼ x 1 x 2 PLY</li> <li>¼ X 1</li> <li>3/8 x ¼</li> </ul> </li> </ul>
SECONDARY 3 SPOOL	<ul> <li>&gt; 3 wire</li> <li>&gt; Steel</li> <li>&gt; Mounting Hole Size: 11/16" x ¼"</li> <li>&gt; Width of Back 27/8"</li> <li>&gt; Overall Length 26"</li> <li>&gt; Gauge 12</li> </ul>
	Allen Type or Hex Key Type ral busbar and terminal lug na 12 g.i. guage #16

#### C. Completion Period and Delivery Site

Supply and delivery must be completed within thirty (30) calendar days from the receipt of Notice to Proceed (NTP). Delivery site is at the Materials Handling Section-Property and Supply Management Division, Basement, DENR Main Building, DENR Compound.

#### D. Warranty

Warranty Certificate must be issued to DENR covering One (1) year for the Circuit Breaker 500AT/400AT/250AT and 200AT from issuance of Certificate of Acceptance.

Page 3 of 4

(page 4 of 5)

#### E. Bidder's Qualification

Bidder must be operating in the Philippines for at least five (5) years.

#### F. Additional Requirements

- Brand being offered for the <u>Circuit Breaker 500AT/400AT/250AT and 200AT</u> must have been in the Philippine Market for at least thirty (30) years. For verification of this requirement, bidder must submit the profile of the company owning the offered brand. The profile should state the number of years the brand has been distributed and sold in the Philippine Market.
- Bidder shall provide one (1) set applicable T-Handle Allen Wrench or T-Handle or Hex Key for Terminal Lugs.

Prepared by: Noted by: Ar. Katrina/Carla I, Catapang, rmp strada Ange Administrative sistant V OIC-Section Chief, BGMS-GSD ecommending Approval: Engr. Guillermo V. Estipona, Jr. OIC-Chief, General Services Division Approved b nm Rolando R. Castro Di etor, Administrative Service

Page 4 of 4

### A. Other Requirements

- 1. Bidder has no overdue deliveries or unperformed services intended for DENR.
- 2. Bidder did not participate as a consultant in the preparation of the design or technical specification of the GOODS/SERVICES subject of the bid.

### **BIDDER'S UNDERTAKING**

*I/We, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby BID to (supply/deliver/perform/comply) the above Terms of Reference* 

I/We undertake, if our bid is accepted, to deliver the goods/services in accordance with the terms and conditions contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract/order confirmation is prepared and signed, this Bid is binding on us.

Name of Company (in print)

Signature of Company Authorized Representative

Name & Designation (in print)

Date

(page 1 of 3)

## **Section VII**

## **Revised Technical Specifications**

Instruction to Bidders: Please fill up the form accordingly and sign the Bidder's Undertaking. Failure to conform will result in a rating of "FAILED".

Required Technical Specifications	Brand/Model No. being offered (if applicable)	Bidder's Statement of Compliance
<ul> <li>Electrical Wire         <ul> <li>375mm/750mcm THHN 90°C/THWN 75°C -2/600V 99.9% Copper</li> <li>150mm/300mcm THHN 90°C /THWN 75°C -2/600V 99.9% Copper</li> <li>Conductor Diameter = 375mm/750mcm THHN 90°C /THWN 75°C -2=25.0mm min=25.30mm max *150mm/300mcm THHN 90°C / THWN 75°C -2 =15.7mm min =16.10mm max</li> <li>Cable Diameter = 375mm/750mcm THHN 90°C /THWN 75°C -2 =29.5mm min = 29.6mm max *150mm/300mcm THHN 90°C / THWN 75°C -2</li> <li>=19.3mm min. = 19.7mm max</li> </ul> </li> </ul>		
200AT Including Enclosure Enclosure size Gauge #16 240V/230 10KAIC 3 Poles Double Lug Type 4/0 and 3/0 (Line and Load) 600V		
Circuit Breaker and Panel Panel Dimension: $T = 300mm \times W = 800mm \times H = 1300mm$ Main 1 unit 500AT 3 Pole 230-240V 40 KAIC 600V Busbar 3 unit 250AT 3 Poles 230-240V 3 unit 400AT 3 Poles 230-240V 40 KAIC 600V Terminal Lugs Main 2" x 500mcm/Phase L-Type Busbar 1" x 250mcm/Phase 1" x 600mcm/Phase 3" x 600mcm/Phase 4" X 1" 3%" x 1" 3%" x 1"		

\*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB a(ii) and/or GCC Clause (iii).

### (page 2 of 3)

Required Technical Specifications	Brand/Model No. being offered (if applicable)	Bidder's Statement of Compliance
<ul> <li>Secondary 3 Spool</li> <li>3 Wires</li> <li>Steel (galvanized)</li> <li>Mounting Hole Size: 11/16" x ¼"</li> <li>Width of Back 27/8"</li> <li>Overall Length 26"</li> <li>Gauge 12</li> </ul>		
<ul> <li>Note: All mechanical lugs must be Allen Type or Hex Key</li> <li>Grounding and neutral Busbar and terminal lug</li> <li>Free Standing in NEMA 12 G.I. Gauge #16</li> <li>Power Coated-Wrinkled Gray</li> </ul>	/ Туре	
2" x 2" x ¼" x 20' Angular Bar <b>(50mm x 50mm x 6mm</b> x 6m)		
1" x 1" x ¼" x 20' Angular Bar (25mm x 25mm x 6mm x 6m)		
<sup>1</sup> ⁄4" x 3" x 3" x 20' Angular Bar <b>(75mm x 75mm x 6mm x 6m)</b>		
<sup>3</sup> ⁄ <sub>4</sub> " x 4' x 8' Hardiflex Board		
1/4" x 4' x 8' Hardiflex Board		
<sup>1</sup> / <sub>4</sub> " x 4' x 8' Plywood Marine		
<sup>3</sup> / <sub>4</sub> " x 4' x 8' Plywood Marine		
<sup>1</sup> / <sub>2</sub> " x 4' x 8' Plywood Marine		

<sup>\*</sup>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence that is found to be false either during Bid evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB a(ii) and/or GCC Clause (iii).

(page 3 of 3)

Required Technical Specifications	Brand/Model No. being offered (if applicable)	Bidder's Statement of Compliance
1 Gal Capacity Sprayer		
Direct Hardware Entrance Locket/direct hardware lever key lock		
Door Knob Lockset		
Rotating Deadbolt Lock		
2" Ø RSC Pipe		
2" Ø GI Pipe schedule 40		
1 ¼" Ø GI Pipe schedule 40		
Bidet Heavy Duty		
Cable Tie #8 (100pcs/pack)		
Cable Tie #4 (100pcs/pack)		
Cable Tie #6 (100pcs/pack)		
Cable Tie #10 (100pcs/pack)		
Drill Bit 1/8"Ø		
Drill Bit ¼" Ø		
Drill Bit 3/16"Ø		
Drill Bit 3/8"Ø		
Mason Bit ¼"Ø		
Mason Bit 3/8ӯ		

I hereby certify to comply with the above Technical Specifications.

Name of Company (in print)

Signature of Company Authorized Representative

Name & Designation (in print)

Date

\*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB a(ii) and/or GCC Clause (iii).

### SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS FOR THE DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES-CENTRAL OFFICE (DENR-CO) Bid Ref. No. DENR-CO-2020-019

Approved Budget for the Contract – ₽7,892,400.00

## **Bid Form**

### To: **DENR Bids and Awards Committee DENR-Central Office** DENR Main Building, DENR Compound, Visayas Avenue, Diliman, Quezon City

Gentlemen and/or Ladies:

I/We, having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin, *if any*, the receipt of which is hereby acknowledge, I/We, the undersigned offer to *supply/deliver/perform the following* in conformity with the said PBDs for the sum specified in the table below or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this bid. The total bid price includes the cost of all applicable taxes, which are itemized herein or in the Price Schedules.

Description		/ <b>O</b> tv	Financial Bid ( <del>P</del> )		
Description	Unit/Qty.		Unit Cost	Total Cost	
375 mm/750mcm THHN/THWN Electrical Wire	m	200			
150mm/300mcm THHN/THWN Electrical Wire	m	3000			
Electrical Circuit Breaker including Panel Branches with Ground 3 pole 600 volts 500AT/400 AT and three (3) units 250AT with Busbar	Set	1			
200AT with Enclosure indoor	set	1			
Solderless Copper Spit Bolt Connector 500mcm	pcs	50			
75mmØ x 3.5mm x 3000mm PVC Pipe	pcs	350			
Full Box 8" x 16" x 16" Gauge 22	pcs	30			
Electrical Rubber Tape (0.8mm x 19mm x 8m)	pcs	50			
Electrical Tape (0.8mm x 19mm x 8m)	pcs	100			
PVC Elbow 3" Ø	pcs	30			
PVC Elbow 4" Ø	pcs	30			
PVC Pipe 4" Ø = 100mm x 3.5mm x 3000mm	pcs	30			
Metal Clamp 3" 2 holes Galvanized Pipe Strap Clamp Gauge 20	pcs	100			

# **Revised Annex VI**

(page 2 of 4)

Description	Unit/Qty.		Financial Bid ( <del>P</del> )		
Description	Unity	aty.	Unit Cost	Total Cost	
Long Expansion Shield with Screw $3/8"\emptyset$ x 3" x $\frac{1}{4}"$	pcs	200			
Electrical Wire Stranded #12 THHN/THWN	box	20			
Electrical Wire Solid #12 THHN/THWN	box	10			
Secondary three (3) Spool Insulator	pcs	30			
2" x 2" x ¼" x 20' Angular Bar <b>(50mm x</b> 50mm x 6mm x 6m)	Pcs	150			
1" x 1" x ¼" x 20' Angular Bar (250mm x 25mm x 6mm x 6m)	Pcs	150			
<sup>1</sup> ⁄ <sub>4</sub> " x 3" x 3" x 20' Angular Bar (75mm x 75mm x 6mm x 6m)	Pcs	150			
<sup>3</sup> ⁄ <sub>4</sub> " x 4' x 8' Hardiflex Board	Pcs	50			
<sup>1</sup> ⁄ <sub>4</sub> " x 4' x 8' Hardiflex Board	Pcs	100			
<sup>1</sup> ⁄4" x 4' x 8' Plywood Marine	Pcs	140			
<sup>3</sup> ⁄4" x 4' x 8' Plywood Marine	Pcs	80			
<sup>1</sup> ⁄ <sub>2</sub> " x 4' x 8' Plywood Marine	Pcs	70			
1 Gal Capacity Sprayer	Pcs	28			
Direct Hardware Entrance Locket/direct hardware lever key lock	Pcs	60			
Door Knob Lockset	Pcs	100			
Rotating Deadbolt Lock	Pcs	50			
2" Ø RSC Pipe	Pcs	50			
2" Ø GI Pipe schedule 40	Pcs	90			
1 ¼" Ø GI Pipe schedule 40	Pcs	70			
Bidet Heavy Duty	Pcs	180			
Cable Tie #8 (100pcs/pack)	Packs	90			
Cable Tie #4 (100pcs/pack)	Packs	90			
Cable Tie #6 (100pcs/pack)	Packs	90			

### **Revised Annex VI**

(page 3 of 4)

Description	Linit//		Financial Bid ( <del>P</del> )	
Description	Unit/0	aly.	Unit Cost	Total Cost
Cable Tie #10 (100pcs/pack)	Packs	90		
Drill Bit 1/8"Ø	Pcs	100		
Drill Bit ¼" Ø	Pcs	100		
Drill Bit 3/16"Ø	Pcs	100		
Drill Bit 3/8"Ø	Pcs	100		
Mason Bit ¼"Ø	Pcs	100		
Mason Bit 3/8ӯ	Pcs	100		
TOTAL BID PRICE	(Amount in	Figure	es)	

Note: Please indicate <u>"0" or "-"</u>for item/s offered for free to the DENR. Incomplete financial proposal shall be considered non-responsive and thus, automatically disqualified in accordance with Section 32.2.1(a) of the 2016 Revised IRR of RA 9184.

If our Bid is accepted, we undertake:

- a. to deliver the goods on accordance with the delivery schedules specified in the Schedule of Requirements of the PBDs;
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs ;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain biding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

I/We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

I/We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of the company as evidences by the attached Secretary's Certificate/Board of Resolution/Special Power of Attorney.

# **Revised Annex VI**

(page 4 of 4)

I/We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name of Company (in print)

Signature of Company Authorized Representative

Name & Legal Capacity (in print)

Duly Authorized to sign for and behalf of:

Date

DENR BIDS AND AWARDS COMMITTEE REVISED CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS		
Projec	SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS FOR THE DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES-CENTRAL OFFICE (DENR-CO)	
Bid Re	f. No.: DENR-CO-2020-019	
APPRO	OVED BUDGET FOR THE CONTRACT: <del>P</del> 7,892,400.00	
ENVEL	OPE 1: TECHNICAL COMPONENT	
	CLASS "A" DOCUMENTS	
A. <u>LEC</u>	SAL DOCUMENTS	
	(a) Valid and current <b>Certificate of PhilGEPS Registration (Platinum Membership)</b> issued to bidder; [Note: The valid and current Certificate of Registration (Platinum Membership) shall reflect the updated eligibility documents. Should the Annex A of said Certificate reflects not updated documents, the bidder shall submit, together with the certificate certified true copies of the updated documents]	
	<u>OR</u>	
	(b) Registration certificate from SEC, Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives or its equivalent document; <u>and</u>	
	<ul> <li>(c) Copy of any of the following documents issued to bidder by the city or municipality where the principal place of business of the bidder is located or the equivalent document for Exclusive Economic Zones or Areas:         <ul> <li>a. Business/Mayor's Permit for 2020: or</li> <li>b. Application for Business/Mayor's Permit with attached Official Receipt (OR) of payment of Licensing and Regulatory fees and 2019 Business/Mayor's Permit.</li> </ul> </li> <li><u>Note: Expired Business/Mayor's permit with Official Receipt of renewal application shall be accepted. Valid and current Business/Mayor's permit is subject for submission after award of contract but before payment, pursuant to GPPB Resolution No. 09-2020 dated 07 May</u></li> </ul>	
	2020. and	
	<ul> <li>(d) Current and valid Tax Clearance per E.O. 398, series of 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR);</li> </ul>	
В. <u>ТЕ</u>	CHNICAL DOCUMENTS	
	(e) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (per Annex I);	
	(f) Statement of the Bidder's Single Largest Completed Contract (SLCC) of similar nature within the last five (5) years from date of submission and receipt of bids equivalent to at least fifty (50%) of the total ABC (per <b>Annex I-A</b> )	
	Any of the following documents must be submitted/attached corresponding to listed completed largest contracts per Annex I-A:	
	<ul> <li>i) Copy of End User's Acceptance; or</li> <li>ii) Copy of Official Receipt/s or Sales Invoice or Collection Receipt/s</li> </ul>	

	Project ABC (₽)	Bid Security: Cash, Cashier's/ Manager's Check, Bank Draft / Guarantee, Irrevocable Letter of Credit (2%) (₽)	Bid Security: Surety Bond (5%) ( <del>P</del> )	Original Bid Securing Declaration	
	7,892,400.00	157,848.00	394,620.00	No required Amount	
Not	<ol> <li>The Cashier's/I</li> <li>The Bank Dra Universal or Co A. Should bidder of on demand an Insurance Com <u>certification from</u> that the surety of that the surety of following must</li> <li>For submission following must</li> <li>For submission following must</li> <li>The following are <ul> <li>IF A BIDD a) Withdr</li> <li>Does a 9184.</li> <li>Fails t finding</li> <li>Submis docum</li> <li>Submis docum</li> <li>Submis seven</li> <li>Allowin bidding</li> <li>Withdr Gover submis</li> <li>Refusa seven</li> <li>Refusa seven</li> <li>Any da the bid k) Failure is decl</li> <li>All oth habitu at leas</li> </ul> </li> <li>IF THE S a) fails to or b) fails to or con the bid bid of RA</li> </ol>	raws its bid during the period not accept the correction of a o submit the Post Qualification gagainst their veracity thereor ssion of eligibility required nents. ssion of bids that contain alment of such information ity screening or any other stating the use of one's name, or g. rawal of a bid, or refusal to nment without justifiable cau ted the Lowest Calculated and al or failure to post the required al to clarify or validate in writin (7) calendar days from recein ocumented unsolicited attern doing in his favor. e of the potential joint ventured ared as successful. her acts that tend to defeat ally withdrawing from bidding st three (3) times within a yea <b>UCCESSFUL BIDDER:</b> o sign the contract in accordant of furnish performance security	e Letter of Credit as Bid Security, th ety or insurance of sue such bond. <u>To</u> <u>sue such bond. To</u> <u>sue such bond. To</u> <i>for the security</i> field Security of bid validity. errors pursuant to S fon requirements w f. ments containing false information in the bids in order age of the public bid r using the name of accept an award, se, after the Bidde nd Responsive Bid. ed performance sec ng its bid during pos pt of the request fo pt by a bidder to u e partners to enter in the purpose of the submitting late Bid r, except for valid r mce with Section 40 y in accordance with <b>ng Declaration si</b>	shall be issued by e surety bond must be company duly certific ogether with the sure by the bidder which r ed to issue surety bo r of Credit or Surety Section 32.2.1 of the rithin the prescribed p false information o or falsified document er to influence the o dding. f another for purposes or enter into contract r had been adjudged curity within the prescri- st-qualification within a r clarification. Induly influence the o to the joint venture aff e competitive bidding ds or patently insufficient easons.	y a Loc be callate ed by the ty bond, <u>nust stands.</u> <u>Bond, the eriod or r falsifient ts, or the utcome s of puble t with the as having ribed time a period utcome fter the the g, such ent bid, for f RA 918 evised IF</u>

	<ul> <li>(i) Original Omnibus Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the prescribed form attached as Annex III with attached Proof of Authority of the bidder's <u>authorized representative/s</u>:</li> </ul>				
	<ul> <li>i. FOR SOLE PROPRIETORSHIP (IF OWNER OPTS TO APPOINT A REPRESENTATIVE): Notarized or unnotarized Special Power of Attorney.</li> <li>ii. FOR CORPORATIONS, COOPERATIVE OR THE MEMBERS OF THE JOINT VENTURE: Notarized or unnotarized Secretary's Certificate evidencing the authority of the designated representative/s.</li> </ul>				
	Notes: 1) Should there be more than one (1) appointed authorized representatives, use the word <u>"any of the following"</u> or <u>"OR"</u> , otherwise, all authorized representatives must sign/initial the bid submission.				
	2) Unnotarized documents shall be accepted pursuant to GPPB Resolution No. 09-2020 dated 07 May 2020.				
	<b>IN THE CASE OF UNINCORPORATED JOINT VENTURE:</b> Each member shall submit a separate Special Power of Attorney and/or Secretary's Certificate evidencing the authority of the designated representative/s.				
C. <u>FIN</u>	ANCIAL DOCUMENTS				
	<ul> <li>Audited Financial Statements (AFS) for CY 2019 with stamped "received" by the Bureau of Internal Revenue (BIR) or its duly accredited and authorized institutions dated CY 2020;</li> </ul>				
	(k) Net Financial Contracting Capacity (NFCC) computation, in accordance with ITB Clause 5.5, (per Annex IV).				
	The NFCC computation must be equal to the ABC of this project. The detailed computation using the required formula must be provided.				
	<u>OR</u>				
	Original copy of Committed Line of Credit (CLC) per <b>Annex IV-A</b> issued by a Local Universal or Local Commercial Bank at least equal to ten percent (10%) of the ABC of this project.				
	In case of Joint Venture, the partner responsible to submit the NFCC shall likewise submit the Statement of all its ongoing contracts and the Latest Audited Financial Statements.				
	Class "B" Document: (For Joint Venture)				
	If applicable, For Joint Ventures, Bidder to submit either:				
	<ul> <li>Copy of the JOINT VENTURE AGREEMENT (JVA) in case the joint venture is already in existence, or</li> </ul>				
	<ul> <li>(ii) Copy of Protocol/Undertaking of Agreement to Enter into Joint Venture (Annex V) signed by all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful and must be in accordance with Section 23.1 (b) of the IRR</li> </ul>				
	In case the joint venture is not yet in existence, the submission of a valid JVA shall be within ten (10) calendar days from receipt by the bidder of the notice from the BAC that the bidder is the Lowest Calculated and Responsive Bid [Sec 37.1.4 (a) (i)]				
	(I) <u>The JVA or the Protocol/Undertaking of Agreement to Enter into Joint Venture (per Annex V)</u> <u>must include/specify the company/partner and the name of the office designated as</u> <u>authorized representative of the Joint Venture.</u>				

### **ENVELOPE 2: FINANCIAL DOCUMENTS**

	(a) Completed and signed Financial Bid Form. Bidder must use, accomplish and submit Bid Form ( Revised Annex VI), attached in the Supplemental/Bid Bulletin No.1 and
	(b) Original of duly signed and accomplished Price Schedule(s) (Annex VI-A or VI-B).
	The ABC is inclusive of VAT. Any proposal with a financial component exceeding the ABC shall not be accepted.
Note:	In case of inconsistency between the Checklist of Requirements for Bidders and the

Note: In case of inconsistency between the Checklist of Requirements for Bidders and the provisions in the Instruction to Bidders/Bid Data Sheet, the Instruction to Bidders/Bid Data Sheet shall prevail.