



**REQUEST FOR QUOTATION**

P.R. NO: 2024-03-0638	MODE OF PROCUREMENT: SHOPPING	
P.R. DATE: 12 MAR 2024	REF. NO.: RFQ-2024-077	
END-USER: DENR-DMOS ACTION CENTER	DATE PREPARED: March 20, 2024	
PRN: _____	CLOSING DATE/TIME: March 25, 2024	10:00 AM

- The DENR-Central Office, through its Bids and Awards Committee for Regular Operations, invites eligible bidder/s to submit duly signed proposal/quotation not later than the closing date and time for the procurement project stated below:


DESCRIPTION	QTY	UNIT	TOTAL ABC (VAT INCLUSIVE)
<i>Supply and Delivery of Wireless Intercom System Headset System (with 6 Headsets)</i>	1	pc	49,000.00

- Proposal/quotation received in excess of the ABC shall automatically be rejected.
- Interested bidder/s must submit the following documents:


A. ELIGIBILITY DOCUMENTS	
a.	Valid and current Certificate of PhilGEPS Registration (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR (pursuant to GPPB Resolution No. 15-2021, dated 14 October 2021);  <b>OR</b> PhilGEPS Registration Number
b.	Valid and Current Mayor's/Business Permit for CY 2024 OR application for Business/Mayor's Permit with attached Official Receipt (OR) of payment of Licensing and Regulatory fees and 2023 Business/Mayor's permit.
c.	Special Power of Attorney/Board Resolution/Authorization as authorize representative valid for six (6) months (if applicable)
<b>Note: Bidder/s who previously submitted updated Eligibility Documents are no longer required to resubmit.</b>	
B. TECHNICAL AND FINANCIAL DOCUMENTS	
d.	<b>Completely filled out and duly signed</b> Technical Proposal Form and Financial Quotation Form (Annex "A")
e.	<b>Brochure or Technical Data Sheet</b> of the Item Being Offered.

**Failure to submit all documents as required above shall be automatically disqualified.**

- Price must be inclusive of VAT and must be valid for Sixty (60) calendar days upon submission of proposal/quotation.
- Award of Contract shall be made to the lowest calculated and responsive quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
- Refusal to sign and accept the Award or enter into contract without justifiable reason may be grounds for imposition of administrative sanctions under Rule XXIII of the Revised IRR of RA 9184.
- Open proposal/quotation may be submitted at Procurement Management Section-Property and Supply Management Division (PrMS-PSMD), Basement, DENR-Main Building and/or thru e-mail address [ampbac.co@denr.gov.ph](mailto:ampbac.co@denr.gov.ph) and/or fax number (02) 8926-2675. For further inquiries, you may coordinate with Ms. Dianne G. Ibias/Mr. Lamberto S. Ramos at the same contact details.
- If thru email, kindly indicate in the subject ATTENTION: JELYN STA. ANA - RFQ-2024-077.
- DENR reserves the right to reject any and all proposals, declare failure, or not award the contract at any time in accordance with Section 41 of RA 9184 and its IRR without thereby incurring liability to the affected supplier.

  
**DIANNE G. IBIAS**  
 Chief, Procurement Mgt. Section-PSMD &  
 Head, BAC Secretariat

Technical Proposal Form

Item No.	Description / Technical Specifications	Qty	Brand/Model No. of the item being offered:																								
	<p><i>Supply and Delivery of Wireless Intercom System Headset System (with 6 Headsets)</i></p>																										
	 <p><b>Key Features</b></p> <ul style="list-style-type: none"> <li>• Wide Frequency Response for Clear Audio</li> <li>• True Wireless Headset, No Bodypack</li> <li>• Comfortable to Wear All Day Long</li> <li>• 1000' 2-Way Operating Range</li> <li>• DECT 6.0 for Stability and Security</li> <li>• Instant Pairing, Easy to Use</li> <li>• Acoustic Echo Cancellation</li> <li>• Includes Batteries and Charger</li> <li>• Expandable System</li> </ul> <p><b>Product Specifications:</b></p> <table border="1"> <tr> <td>Number of Included Headsets</td> <td>6 x Single-Sided Headset</td> </tr> <tr> <td>Users per System</td> <td>6</td> </tr> <tr> <td>Wireless Technology</td> <td>Digital DECT (1.9 GHz)</td> </tr> <tr> <td>DECT Standard</td> <td>6.0</td> </tr> <tr> <td>Operating Range</td> <td>1000' / 304.8 m</td> </tr> <tr> <td>Wireless Modulation</td> <td><b>Analog:</b> GFSK</td> </tr> <tr> <td>Duplex Mode</td> <td>Echo Cancellation</td> </tr> <tr> <td>Approximate RF Sensitivity</td> <td>-90 dBm</td> </tr> <tr> <td>Encryption</td> <td>Proprietary</td> </tr> </table> <p><b>Headphone</b></p> <table border="1"> <tr> <td>Earpiece Design</td> <td>On-Ear (Supra-Aural) / Over-Ear (Circumaural)</td> </tr> <tr> <td>Earpiece Connection / Wearing Style</td> <td>Headband</td> </tr> <tr> <td>Number of Earpieces</td> <td>Single Earpiece (Left or Right Side)</td> </tr> </table>	Number of Included Headsets	6 x Single-Sided Headset	Users per System	6	Wireless Technology	Digital DECT (1.9 GHz)	DECT Standard	6.0	Operating Range	1000' / 304.8 m	Wireless Modulation	<b>Analog:</b> GFSK	Duplex Mode	Echo Cancellation	Approximate RF Sensitivity	-90 dBm	Encryption	Proprietary	Earpiece Design	On-Ear (Supra-Aural) / Over-Ear (Circumaural)	Earpiece Connection / Wearing Style	Headband	Number of Earpieces	Single Earpiece (Left or Right Side)	<p>1 pc</p>	
Number of Included Headsets	6 x Single-Sided Headset																										
Users per System	6																										
Wireless Technology	Digital DECT (1.9 GHz)																										
DECT Standard	6.0																										
Operating Range	1000' / 304.8 m																										
Wireless Modulation	<b>Analog:</b> GFSK																										
Duplex Mode	Echo Cancellation																										
Approximate RF Sensitivity	-90 dBm																										
Encryption	Proprietary																										
Earpiece Design	On-Ear (Supra-Aural) / Over-Ear (Circumaural)																										
Earpiece Connection / Wearing Style	Headband																										
Number of Earpieces	Single Earpiece (Left or Right Side)																										

**PLEASE USE THIS FORM. DO NOT RETYPE OR ALTER**

**Annex A** (Page 2 of 3)

**Technical Proposal Form**

Item No.	Description / Technical Specifications	Qty	Brand/Model No. of the item being offered:																																																
<b>Supply and Delivery of Wireless Intercom System Headset System (with 6 Headsets)</b>																																																			
	<table border="1"> <tr> <td>Sound Field</td> <td>Mono</td> </tr> <tr> <td>Controls/Microphone Location</td> <td>Controls: Adjustable Boom, Earpiece (Side Unspecified)</td> </tr> <tr> <td>Frequency Response</td> <td>150 Hz to 7 kHz</td> </tr> <tr> <td>Total Harmonic Distortion (THD)</td> <td>1%</td> </tr> <tr> <td>Maximum Sound Pressure Level (SPL)</td> <td>115 dB</td> </tr> <tr> <td>SNR</td> <td><b>Headphones:</b> &gt;55 dB</td> </tr> <tr> <td>Microphone Type</td> <td>Electret Condenser</td> </tr> <tr> <td>Mic Boom Location</td> <td>Interchangeable (Left or Right Side)</td> </tr> <tr> <td>Pickup Pattern</td> <td>Cardioid (Unidirectional)</td> </tr> <tr> <td>Maximum SPL</td> <td>115 dB</td> </tr> <tr> <td>Distortion</td> <td>&lt;1%</td> </tr> <tr> <td colspan="2"><b>Wired Connectivity</b></td> </tr> <tr> <td>Audio Connector to Source</td> <td>None</td> </tr> <tr> <td>Battery Type</td> <td><b>Headset:</b> 1 x 26650</td> </tr> <tr> <td>Battery Chemistry</td> <td><b>Headset:</b> Lithium-Ion</td> </tr> <tr> <td>Capacity (mAh)</td> <td>700 mAh</td> </tr> <tr> <td>Runtime</td> <td><b>Headset:</b> 10 Hours</td> </tr> <tr> <td>Recharge Time</td> <td>2.5 Hours</td> </tr> <tr> <td>Operating Temperature</td> <td>32 to 113°F / 0 to 45°C</td> </tr> <tr> <td>Storage Temperature</td> <td>-4 to 140°F / -20 to 60°C</td> </tr> <tr> <td>Environmental Protection</td> <td>None</td> </tr> <tr> <td colspan="2"><b>Packaging Info</b></td> </tr> <tr> <td>Package Weight</td> <td>6.95 lb</td> </tr> <tr> <td>Box Dimensions (LxWxH)</td> <td>15.7 x 9.4 x 7.7"</td> </tr> </table>	Sound Field	Mono	Controls/Microphone Location	Controls: Adjustable Boom, Earpiece (Side Unspecified)	Frequency Response	150 Hz to 7 kHz	Total Harmonic Distortion (THD)	1%	Maximum Sound Pressure Level (SPL)	115 dB	SNR	<b>Headphones:</b> >55 dB	Microphone Type	Electret Condenser	Mic Boom Location	Interchangeable (Left or Right Side)	Pickup Pattern	Cardioid (Unidirectional)	Maximum SPL	115 dB	Distortion	<1%	<b>Wired Connectivity</b>		Audio Connector to Source	None	Battery Type	<b>Headset:</b> 1 x 26650	Battery Chemistry	<b>Headset:</b> Lithium-Ion	Capacity (mAh)	700 mAh	Runtime	<b>Headset:</b> 10 Hours	Recharge Time	2.5 Hours	Operating Temperature	32 to 113°F / 0 to 45°C	Storage Temperature	-4 to 140°F / -20 to 60°C	Environmental Protection	None	<b>Packaging Info</b>		Package Weight	6.95 lb	Box Dimensions (LxWxH)	15.7 x 9.4 x 7.7"	<b>1 pc</b>	
Sound Field	Mono																																																		
Controls/Microphone Location	Controls: Adjustable Boom, Earpiece (Side Unspecified)																																																		
Frequency Response	150 Hz to 7 kHz																																																		
Total Harmonic Distortion (THD)	1%																																																		
Maximum Sound Pressure Level (SPL)	115 dB																																																		
SNR	<b>Headphones:</b> >55 dB																																																		
Microphone Type	Electret Condenser																																																		
Mic Boom Location	Interchangeable (Left or Right Side)																																																		
Pickup Pattern	Cardioid (Unidirectional)																																																		
Maximum SPL	115 dB																																																		
Distortion	<1%																																																		
<b>Wired Connectivity</b>																																																			
Audio Connector to Source	None																																																		
Battery Type	<b>Headset:</b> 1 x 26650																																																		
Battery Chemistry	<b>Headset:</b> Lithium-Ion																																																		
Capacity (mAh)	700 mAh																																																		
Runtime	<b>Headset:</b> 10 Hours																																																		
Recharge Time	2.5 Hours																																																		
Operating Temperature	32 to 113°F / 0 to 45°C																																																		
Storage Temperature	-4 to 140°F / -20 to 60°C																																																		
Environmental Protection	None																																																		
<b>Packaging Info</b>																																																			
Package Weight	6.95 lb																																																		
Box Dimensions (LxWxH)	15.7 x 9.4 x 7.7"																																																		

**Project Requirements/Terms and Conditions:**

1. **Delivery/completion** period: within fifteen (15) calendar days from receipt of Purchase Order.
2. **Delivery Site:** Supply Management Section, Basement, DENR Main Building, Visayas Ave., Diliman, Quezon City
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable subjected to deduction of applicable Government Tax
4. DENR shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
5. Replacement of Defective Items: Within ten (10) Calendar Days upon receipt of Notice of Defects from DENR.
6. Warranty: Three (3) months in case of Expendable Supplies and One (1) Year in the case of Non-expendable Supplies from issuance of Certificate of Inspection and Acceptance. Warranty Certificate must be submitted during delivery.
7. Amendment to Order may be issued subject to the conditions set forth under Annex D of the 2016 Revised IRR of RA 9184.
8. Payment shall be made in accordance with the Government Terms
9. Liquidated Damages (LD) equivalent to one tenth of one percent (0.1%) of the value of contract not delivered within the prescribed period shall be imposed per day of delay. The DENR may rescind the Contract once the cumulative amount of LD reaches 10% of the amount of the Contract, without prejudice to other courses of action and remedies open to it.
10. **Bidder has no overdue deliveries or unperformed services intended for DENR-CO.**

**FINANCIAL QUOTATION FORM  
(PRICE MUST BE VAT INCLUSIVE)**

Item No.	DESCRIPTION	QTY	TOTAL ABC (P)		BIDDER'S PRICE QUOTATION (P)	
			Unit Cost	Total	Unit Cost	Total
	<i>Supply and Delivery of Wireless Intercom System Headset System (with 6 Headsets)</i>	1 pc	49,000.00	49,000.00		

**Note: Financial offer must not exceed in the ABC.**

**BIDDER'S UNDERTAKING**

I/We, the undersigned Supplier, after having examined the Technical Specifications/ Project Requirements, hereby OFFER to supply/deliver/perform the above-described items.

I/We undertake, if our proposal is accepted, to deliver the items/services in accordance with the terms and conditions contained in the Request for Quotation.

Until a formal PO/ Contract is prepared and signed, this quotation is binding on us.

\_\_\_\_\_  
**NAME OF COMPANY (IN PRINT)**

\_\_\_\_\_  
**SIGNATURE OVER PRINTED NAME OF THE AUTHORIZED REPRESENTATIVE**

**ADDRESS:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Designation:** \_\_\_\_\_  
**Date:** \_\_\_\_\_  
**Email Address:** \_\_\_\_\_  
**Telefax No.:** \_\_\_\_\_  
**Mobile Number:** \_\_\_\_\_