



REQUEST FOR QUOTATION

P.R. NO: 2024-08-2027 MODE OF PROCUREMENT: NP-SNP
P.R. DATE: 01 AUGUST 2024 REF. NO.: RFQ-2024-257
END-USER: FASPS DATE PREPARED: 02 AUGUST 2024
PRN: _____ CLOSING DATE/TIME: 06 AUGUST 2024 10:00 AM

1. The DENR-Central Office, through its Bids and Awards Committee for Regular Operations, invites eligible bidder/s to submit duly signed proposal/quotation not later than the closing date and time for the procurement project stated below:

DESCRIPTION	QTY	UNIT	TOTAL ABC (VAT INCLUSIVE)
SUPPLY, DELIVERY AND INSTALLATION OF COMMUNICATION EQUIPMENT	1	LOT	164,000.00

2. Proposal/quotation received in excess of the ABC shall automatically be rejected.
3. Interested bidder/s must submit the following documents:

A. ELIGIBILITY DOCUMENTS	
a.	Valid and current Certificate of PhilGEPS Registration (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR (pursuant to GPPB Resolution No. 15-2021, dated 14 October 2021); OR ; PhilGEPS Registration Number
b.	Valid and Current Mayor's/Business Permit for CY 2024 OR application for Business /Mayor's Permit with attached Official Receipt (OR) of payment of Licensing and Regulatory fees and 2024 Business/Mayor's permit.
c.	Notarized Special Power of Attorney/Board Resolution/Authorization as authorized representative valid for six (6) months (if applicable)
<i>Note: Bidder/s who previously submitted updated Eligibility Documents are no longer required to resubmit.</i>	
B. TECHNICAL AND FINANCIAL DOCUMENTS	
d.	Completely filled out and duly signed Technical Proposal Form and Financial Quotation Form (Annex "A")
e.	Brochures (original or internet download) of the item being offered showing compliance with the required technical specifications.

Failure to submit all documents as required above shall be automatically disqualified.

4. Price must be inclusive of VAT and must be valid for Sixty (60) calendar days upon submission of proposal/quotation.
5. Award of Contract shall be made to the lowest calculated and responsive quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Refusal to sign and accept the Award or enter into contract without justifiable reason, may be grounds for imposition of administrative sanctions under Rule XXIII of the Revised IRR of RA 9184.
7. Open proposal/quotation may be submitted at Procurement Management Section-Property and Supply Management Division (PrMS-PSMD), 2nd Floor, 2 Storey Warehouse, and/or thru e-mail address ampbac.co@denr.gov.ph and/or fax number (02) 8926-2675. For further inquiries, you may coordinate with Ms. Dianne G. Ibias at the same contact details.
8. If thru email, kindly indicate in the subject **ATTENTION: GIANINA P. AGIR - RFQ-2024-257**.
9. DENR reserves the right to reject any and all proposals, declare failure, or not award the contract at any time in accordance with Section 41 of RA 9184 and its IRR without thereby incurring liability to the affected supplier.


DIANNE G. IBIAS
Chief, Procurement Mgt. Section-PSMD &
Head, BAC Secretariat

Technical Proposal Form

Required Technical Specifications

Item No.	Description / Technical Specifications	Quantity	Brand/Model of item being offer (N/A if not applicable)
	<i>SUPPLY, DELIVERY AND INSTALLATION OF COMMUNICATION EQUIPMENT</i>	1 lot	
	<p>1 unit-Compact SMX-8BT 8-Channel Compact Audio Mixer, 8 channel compact mixer; 4 Mic/Line, 2 Stereo Input 16 DSP Digital Effects; 48V Phantom Power; Compact Design; High Headroom; Low Noise Mic Preamps; Headphones In; Echo, Repeat, Delay Effects & Bluetooth, USB, MP3 Function-</p> <hr/> <p>1 pc-Kevler GX-SUB PRO 600W X 2 Karaoke Amplifier with Bluetooth USB LCD, Power 600w x 2; Frequency Range 5Hz to 100khz; Load Impedance 4-16Ω; Input Impedance 10K-22K; Input Sensitivity 350mv; Mic Input Sensitivity 15mv; Total Harmonic Distortion 0.1%; Signal-to-noise ratio 8 OdB; Power Supply AC 220V 50-60Hz; Dimension (HxWxD)mm 11 (H) x 43 (H) x 36 (D); Net Weight 8.2kg-</p> <hr/> <p>1 pc-LM-500U Conference System Main Unit Control w/USB Recordable, Chairman's and Delegate's unit conference mi; Mic ON/OFF Buttons; Built-in 2W Speaker; Volume Control; Unidirectional condenser mic & Red Light Indicate when mic is On</p> <hr/> <p>20 units-LM-502 Delegate Conference Mic, Kevler LM-500OU Conference System Main Unit Control w/USB Recordable; Bnew and Orig; Record & Play Function thru USB; Equipt w/ 3 groups for system connecting workable; Output Level LED Indicator Single, Multiple and many Groups can Be use simultaneously; Line Volume for the unit source; Mic Volume for the unit source; Mic Volume for the external Mic Connection; Master Volume Control the mic line level; Balance XLR Output & Extension to other main Unit in case Will use More Than 60 unit.</p> <hr/> <p>4pcs-WS-6T 200W 8 Ohms Wall Mounted Speaker with Multi Tapping Zone Mount WS6T (System Type- 2 way bass reflex; LF/HF 6.5"Transducer/1 Fabric Dome; Transformer Taps 100v 4w,8w,15w,30w; Sensitivity 91dB; Impedance 8Ω; Materials ABS Plastic; Dimension (HxWxD) 38 (H) x 21 (W) x 19.5 (D) cm & Net Weight 4.2kg-WS- 200 Watts MAX LF 6.5" in. Fabric Dome 8 Ohms impedance 65Hz-20Khz Freq. 91dB Sensitivity 2-WAY Bass Reflex 100V Multi Taps Wall Mounted Speaker</p> <hr/> <p>1 unit.-DBX 231 S Dual Channel DBX 31 Frequency Ban Channel</p> <hr/> <p>1 unit-DBX Pro 10B Power Sequence Controller 10 outlet rock mount power supply</p> <hr/> <p>1 unit-AVR 1000 Watts 15 AMP CERBO TYPE TIME DELAY (3-5,000)POWER ON.</p> <hr/> <p>Including Cords and Wires Connector and Installation</p>		



SMX-8BT
Compact Audio Mixer

FAST SHIPPING

SURE KA SA JO SUPERSTORE

KEVLER SMX-8BT 8-Channel Compact

Product details

Highlights



- 8 channel compact mixer
- 4 Mic/Line, 2 Stereo input
- Headphone Jack Input
- 16 DSP Digital Effects
- 48V Phantom Power
- Compact Design
- High Headroom
- Low Noise Mic Preamps
- Headphones In
- Echo, Repeat, Delay Effects
- Bluetooth, USB, MP3 Function

Kevler LM-500U Conference System Main Unit
Control/ USB Recordable

Product details

Highlights

- Chairman's and Delegate's unit conference mic
- Priority Buttons (for Chairman's Unit)
- Mic ON/OFF Buttons
- Built - in 2W Speaker
- Volume Control
- Unidirectional condenser mic
- Red Light Indicate when mic is On



101 Sold

Prepared Kevler by Winland GX-SUB PRO 600W x 2
Karaoke Amplifier with Bluetooth USB LCD



Features

- 3 Line Input (A, B, C)
- LCD display for viewing functions
- USB, FM, Bluetooth functions
- Lock/hold button
- 2 Mic Input
- Mic echo and Mic volume control
- Music Bass Mid Treble and Balance Control
- Subwoofer Signal Output & Mic Out

Specifications

Frequency Range	600W x 2
Input Impedance	10K Ω
Mic Input Sensitivity	15mV
Signal to noise ratio	> 8.7%
Dimensions (HxWxD)	11.8" x 18.5" x 11.8"
Weight	8.2kg

Description

Kevler LM-500U Conference System Main Unit Controlw / USB Recordable
 Bnew and Orig
 Record & Play Function thru USB
 Equipt w/ 3 groups for system connecting workable.
 For 20 units of each Group
 Output Level LED Indicator
 Single, Multiple and many Groups can Be use simultane ously.
 Line Volume for the unit source
 Mic Volume for the external Mic Connection
 Master Volume Control the mic line level
 Balance XLR Output
 Extension to Other Main Unit in case Will use More Than 60 unit



WS-6T

200 Watts MAX
 4.5" in. Tweeter/8cm
 HF 1" in. Fabric Dome
 8 Ohms Impedance
 65Hz - 20KHz Freq.
 91dB Sensitivity
 2-Way Bass Reflex
 100V Multi Tap
 Wall Mounted Speaker
 1pc. Per Order

1/4

2021 Original Kevler WS-6T 200W 8 Ohms Wall Mounted Speaker with Multi Tapping Zone Mount WS6T WS 6T

Features

- For paging and light to medium music
- 100V multi taps 4W, 8W, 15W, 30W
- 8 ohms direct setting
- include wall mount bracket

Applications

- Classrooms, business center, retail stores, lounges, meeting room, reception area, music paging system.

Specifications

System Type	2 way bass reflex
LF/HF	6.5" Transducer / 1" Fabric Dome
Freq. Resp.	65Hz - 20KHz
Transformer Taps 100V	4W, 8W, 15W, 30W
Sensitivity	91dB
Impedance	8 Ohm
Materials	ABS plastic
Dimension (HxWxD)	38 (H) x 21(W) x 18 (D)cm
Net Weight	4.2kg

DBX 231 DUAL CHANNEL FREQUENCY



POWER SEQUENCE CONTROLLER



AVR



Project Requirements/Terms and Conditions:

1. **Delivery/completion period:** : within fifteen (15) working days from the date of conformance to the PO/Contract
2. **Delivery Site:** Supply Management Section, Basement, DENR Main Building, Visayas Ave., Diliman, Quezon City
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable subjected to deduction of applicable Government Tax
4. DENR shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
5. Replacement of Defective Items: Within ten (10) Calendar Days upon receipt of Notice of Defects from DENR.
6. Warranty: Three (3) months in case of Expendable Supplies and One (1) Year in the case of Non-expendable Supplies from issuance of Certificate of Inspection and Acceptance. Warranty Certificate must be submitted during delivery.
7. Amendment to Order may be issued subject to the conditions set forth under Annex D of the 2016 Revised IRR of RA 9184.
8. Payment shall be made in accordance with the Government Terms
9. Liquidated Damages (LD) equivalent to one tenth of one percent (0.1%) of the value of contract not delivered within the prescribed period shall be imposed per day of delay. The DENR may rescind the Contract once the cumulative amount of LD reaches 10% of the amount of the Contract, without prejudice to other courses of action and remedies open to it.
10. Bidder has no overdue deliveries or unperformed services intended for DENR-CO.

PLEASE USE THIS FORM. DO NOT RETYPE OR ALTER

Annex A (Page 5 of 5)

**FINANCIAL QUOTATION FORM
(PRICE MUST BE VAT INCLUSIVE)**

Item No.	DESCRIPTION	QTY	UNIT	TOTAL ABC (P)	BIDDER'S PRICE QUOTATION (P)	
					Unit Cost	Total
	SUPPLY , DELIVERY AND INSTALLATION OF COMMUNICATION EQUIPMENT	1	lot			
1	Compact SMX-88T 8-Channel Compact Audio Mixer	1	Unit	164,000.00		
2	Kevler GX-SUB PRO 600W X 2 Karaoke Amplier	1	Pc			
3.	LM-500U Conference System Main Unit Control	1	Pc			
4.	LM-502 Delegate Conference Mic	20	unit			
5	WS-6T 200W 8 Ohms Wall Mounted Speaker	4	pc			
6	DBX 231 S Dual Channel DBX 31 Frequency Ban Channel	1	Unit			
7	DBX PRO 108 Power Sequence Controller 10 outlet rock mount power supply	1	Unit			
8	AVR 1000 Watts 15 AMP CERBO TYPE TIME DELAY (3-5,000) POWER ON	1	Unit			
9	INCLUDING Cords and Wires Connector and Installation					
Total						

Note : Financial offer must not exceed the ABC of per line items.

BIDDER'S UNDERTAKING

I/We, the undersigned Supplier, after having examined the Technical Specifications/ Project Requirements, hereby OFFER to supply/deliver/perform the above-described items.

I/We undertake, if our proposal is accepted, to deliver the items/services in accordance with the terms and conditions contained in the Request for Quotation.

Until a formal PO/ Contract is prepared and signed, this quotation is binding on us.

NAME OF COMPANY (IN PRINT)

SIGNATURE OVER PRINTED NAME OF THE AUTHORIZED REPRESENTATIVE

ADDRESS:

Designation:

Date:

Email Address:

Telefax No.:

Mobile Number:

